

Please write clearly in	n block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

# GCSE CHEMISTRY

H

Higher Tier Paper 1

Time allowed: 1 hour 45 minutes

#### **Materials**

For this paper you must have:

- a ruler
- · a scientific calculator
- the periodic table (enclosed).

### Instructions

- Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

## Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use			
Question	Mark		
1			
2			
3			
4			
5			
6			
7			
8			
TOTAL	i e		



0 1	This question is about metals and non-metals.				
	Figure 1 shows an outline of part of the periodic table.				
	Figure 1				
0 1.1	Element <b>Q</b> is a dull solid with a melting point of 44 °C.				
	Element <b>Q</b> does not conduct electricity.  Which section of the periodic table in <b>Figure 1</b> is most likely to contain element <b>Q</b> ?  [1 mark]  Tick (✓) one box.				
	A B C D				
0 1.2	Element <b>R</b> forms ions of formula <b>R</b> <sup>2+</sup> and <b>R</b> <sup>3+</sup>				
	Which section of the periodic table in <b>Figure 1</b> is most likely to contain element <b>R</b> ?  [1 mark]  Tick (✓) one box.				
	A B C D				
0 1.3	Give <b>two</b> differences between the physical properties of the elements in Group 1 and those of the transition elements.  [2 marks]				
	2				




0	1	. 4	Complete Figure 2 to show the electronic structure of an aluminium atom

Use the periodic table.

[1 mark]

Figure 2



Describe how metals conduct electricity.

Answer in terms of electrons.

[3 marks]	
-----------	--

0 1 . 6	Name the type of bonding in compounds formed between metals and non-metals.
	[1 mark]



0 1.7	Magnesium oxide is a compound formed from the metal magnesium and the non-metal oxygen.	Do not write outside the box
	Describe what happens when a magnesium atom reacts with an oxygen atom.	
	You should refer to electrons in your answer.  [4 marks]	
		13




0 2	Sodium carbonate reacts with hydrochloric acid in an exothermic reaction.				
	The equation for the reaction is:				
	$Na_2CO_3(s) + 2HCl(aq) \rightarrow 2NaCl(aq) + CO_2(g) + H_2O(l)$				
	A student investigated the effect of changing the mass of sodium carbonate powder on the highest temperature reached by the reaction mixture.				
0 2 . 1	Plan a method to investigate the effect of changing the mass of sodium carbonate powder on the highest temperature reached.  [6 marks]				





Figure 3 shows a line of best fit drawn through the student's results.







0 2 . 2	Determine the gradient of the line of best fit in <b>Figure 3</b> .		
	Use the equation:		
	Gradient = Change in highest temperature Change in mass		
	Give the unit.		
	[5 marks]		
	Gradient = Unit		
	Olidaioni		
0 2 . 3	The initial temperature of the reaction mixture is where the line of best fit would meet the <i>y</i> -axis.		
	Determine the initial temperature of the reaction mixture.		
	Show your working on <b>Figure 3</b> .		
	[2 marks]		
	Initial temperature of the reaction mixture =°C		
	miliar temperature of the redetien mixture		




d
ark]



**Figure 4** shows a reaction profile for the reaction of sodium carbonate with hydrochloric acid.





Progress of reaction

0	2	. 5	What do labels	X and Y represe	ent on Figure 4?
---	---	-----	----------------	-----------------	------------------

[2 marks]

X			

Υ\_\_\_\_\_

0 2.6 How does the reaction profile show that the reaction is exothermic?

Use Figure 4.


[1 mark]



0 3 This question is about different forms of carbon.

Figure 5 represents the structure of diamond.

Figure 5



Key


Carbon atom

0 3.1	Describe the structure and bonding of diamond.	[3 marks]
0 3.2	Explain why diamond has a very high melting point.	[3 marks]



Figure 6 represents the molecule  $C_{70}\,$ 

Figure 6



0 3 . 3	What is the name of this type of molecule?	
0 3 . 3	Tick (✓) <b>one</b> box.	k]
	Fullerene	
	Graphene	
	Nanotube	
	Polymer	
0 3.4	Molecules such as $C_{70}$ can be used in medicine to move drugs around the body.	
	Suggest <b>one</b> reason why the $C_{70}$ molecule is suitable for this use. [1 main	rk]



0 3.5	Calculate the number of C <sub>70</sub> molecules that can be made from one mole of carbon atoms.	Do not write outside the box
	The Avogadro constant = 6.02 × 10 <sup>23</sup> per mole  [3 marks	<b>5]</b>
		_
		_
	Number of molecules =	_



0 4	This question is about zinc and compounds of zinc.
	A student produces pure crystals of zinc chloride by reacting zinc oxide with hydrochloric acid.
	The equation for the reaction is:
	$ZnO(s) + 2HCl(aq) \rightarrow ZnCl_2(aq) + H_2O(I)$
0 4.1	The student adds zinc oxide to hydrochloric acid until the zinc oxide is in excess.
	Give <b>one</b> observation that the student could make to show that the zinc oxide is
	in excess.  [1 mark]
0 4.2	Why is excess zinc oxide used rather than excess hydrochloric acid?  [1 mark]
0 4.3	Name <b>one other</b> compound that the student could add to hydrochloric acid to produce zinc chloride.  [1 mark]
0 4.4	Describe how the student should obtain crystals of zinc chloride from a solution of zinc chloride.  [2 marks]

Turn over ▶

Do not write outside the box



Zinc chloride is also produced in a displacement reaction between zinc and copper chloride solution.

The equation for the reaction is:

$$Zn + CuCl_2 \rightarrow ZnCl_2 + Cu$$

0 4 . 5 Complete the ionic equation for this reaction.

[1 mark]

$$Zn + \underline{\hspace{1cm}} \rightarrow Zn^{2+} + \underline{\hspace{1cm}}$$

0 4 . 6 Why is zinc described as being oxidised in this reaction?

[1 mark]

ı		Ш		Ш
ı				
ı				
ı				
ı				
ı				
-	 -4		,	 

0 4 . 7

Zinc and copper can be used with another substance to produce electricity.

Complete **Figure 7** to show how zinc, copper and another substance can be used to light a lamp.


Label:

- zinc
- copper
- the other substance used.

The symbol — represents the lamp.

[3 marks]

Figure 7



Turn over for the next question

10



0 5	This question is about groups in the periodic table.	Do not write outside the box
	The elements in Group 1 become more reactive going down the group.	
	Rubidium is below potassium in Group 1.	
0 5.1	Rubidium and potassium are added to water.	
	Predict <b>one</b> observation you would see that shows that rubidium is more reactive than potassium.	
	[1 mark]	
0 5.2	Explain why rubidium is more reactive than potassium.  [3 marks]	
0 5.3	Complete the equation for the reaction of rubidium with water.  You should balance the equation.	
	Rb + $H_2O \rightarrow$ +	



17 Do not write outside the box The noble gases are in Group 0. Which is a correct statement about the noble gases? [1 mark] Tick  $(\checkmark)$  one box. The noble gases all have atoms with eight electrons in the outer shell. The noble gases have boiling points that increase going down the group. The noble gases have molecules with two atoms. The noble gases react with metals to form ionic compounds. 0 5 . **Table 1** shows information about the three isotopes of neon. Table 1 Mass number Percentage abundance (%) 20 90.48 21 0.27 22 9.25 Calculate the relative atomic mass  $(A_r)$  of neon. Give your answer to 3 significant figures. [3 marks]

Relative atomic mass (3 significant figures) =

Turn over ▶




0 6

This question is about electrolysis.

Molten sodium chloride is electrolysed in an industrial process to produce sodium.

Figure 8 shows a simplified version of the electrolysis cell used.

Figure 8



0 6 . 1

Which is the correct half equation for the production of sodium?

[1 mark]

Tick (✓) one box.

Na + 
$$e^- \rightarrow Na^+$$

$$Na \rightarrow Na^+ + e^-$$

$$Na^+ + e^- \rightarrow Na$$

$$Na^+ \rightarrow Na + e^-$$



	A mesh is used to keep the products of the electrolysis apart.		Do not write outside the box
0 6.2	Suggest <b>one</b> reason why the products of the electrolysis must be kept apart.	[1 mark]	
0 6.3	Which type of particle passes through the mesh in the electrolysis of molten sodium chloride?		
	Tick (✓) <b>one</b> box.	[1 mark]	
	Atom		
	Electron		
	lon		
	Molecule		
	Question 6 continues on the next page		



	Aqueous sodium chloride solution is electrolysed in a different industrial process.	
	Two gases and an alkaline solution are produced.	
0 6.4	Which <b>two</b> ions are present in aqueous sodium chloride solution in addition to sodium ions and chloride ions?  [2 marks]  1	
0 6.5	Name the alkaline solution produced.  [1 mark]	
0 6 . 6	Explain how the alkaline solution is produced.  You should refer to the processes at the electrodes.  [3 marks]	



21	
This question is about silicon and compounds of silicon.	O
The reactivity series sometimes includes non-metals such as carbon, hydrogen and silicon.	
Silicon can be extracted by reducing silicon dioxide with different substances.	
The equation for one possible reaction is:	
$2C(s) + SiO_2(s) \rightarrow Si(s) + 2CO(g)$	
Explain what this reaction shows about the position of silicon in the reactivity series.  [2 marks]	
Aluminium also reduces silicon dioxide.	
Carbon is used rather than aluminium to reduce silicon dioxide because carbon is cheaper than aluminium.	
Carbon can be obtained by heating coal.	
Aluminium is obtained from aluminium oxide.	
Explain why aluminium is more expensive than carbon.  [2 marks]	

0 7

0 7.

	Magnesium also reduces silicon dioxide.
	The equation for the reaction is:
	$2 \text{Mg(s)} + \text{SiO}_2(s) \rightarrow \text{Si(s)} + 2 \text{MgO(s)}$
0 7.3	Give <b>one</b> reason why the products are difficult to separate if magnesium is used to
	reduce silicon dioxide.  [1 mark]
0 7 . 4	Calculate the minimum mass in grams of magnesium needed to completely reduce
<u> </u>	1.2 kg of silicon dioxide.
	Relative atomic masses ( $A_r$ ): O = 16 Mg = 24 Si = 28 [5 marks]
	[e mame]
	Minimum mass of magnesium = g




Si<sub>2</sub>H<sub>6</sub> is a covalent compound of silicon and hydrogen.

**0 7** . **5** Complete **Figure 9** to show the outer shell electrons in a molecule of Si<sub>2</sub>H<sub>6</sub>

[1 mark]

Figure 9



**0 7** . **6** Si<sub>2</sub>H<sub>6</sub> reacts with oxygen.

The equation for the reaction is:

$$2\,Si_2H_6(g) \ + \ 7\,O_2(g) \ \to \ 4\,SiO_2(s) \ + \ 6\,H_2O(g)$$

30 cm<sup>3</sup> of Si<sub>2</sub>H<sub>6</sub> is reacted with 150 cm<sup>3</sup> (an excess) of oxygen.

Calculate the total volume of gases present after the reaction.

All volumes of gases are measured at the same temperature and pressure.

[4 marks]

Volume of gases = cm<sup>3</sup>

15



8. 1 Explain why the pH of an acid depends on:  • the strength of the acid  • the concentration of the acid.  [4 marks]  8. 2 A student titrated 25.00 cm³ of hydrochloric acid with 0.100 mol/dm³ barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5 olume of barium hydroxide 23.00 23.45 23.55 23.45							
• the strength of the acid.  • the concentration of the acid.  [4 marks]  A student titrated 25.00 cm³ of hydrochloric acid with 0.100 mol/dm³ barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5 olume of barium hydroxide 23.45 33.55 33.	8 This qu	uestion is about ac	ids and alkali	S.			
Table 2 shows the results.	8 . 1 Explain	n why the pH of an	acid depends	s on:			
[4 marks]  8.2 A student titrated 25.00 cm³ of hydrochloric acid with 0.100 mol/dm³ barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  folume of barium hydroxide 23.00 33.45 33.55 33.55 33.45	• the	strength of the acid					
B. 2 A student titrated 25.00 cm³ of hydrochloric acid with 0.100 mol/dm³ barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  folume of barium hydroxide 23.00 23.45 23.55 23.55 23.45	• the o	concentration of the	e acid.				[4 manks]
barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  olume of barium hydroxide 22 45 23 55 23 45							[4 marks]
barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  olume of barium hydroxide 22 45 23 55 23 45							
barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  olume of barium hydroxide 22 45 23 55 23 45							
barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  olume of barium hydroxide 22 45 23 55 23 45	<u> </u>						
barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  olume of barium hydroxide 22 45 23 55 23 45							
barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  olume of barium hydroxide 22 45 23 55 23 45	·						
barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  olume of barium hydroxide 22 45 23 55 23 45							
barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  olume of barium hydroxide 22 45 23 55 23 45							
barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  olume of barium hydroxide 22 45 23 55 23 45							
barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  olume of barium hydroxide 22 45 23 55 23 45							
barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  olume of barium hydroxide 22 45 23 55 23 45							
barium hydroxide solution.  Table 2 shows the results.  Table 2  itration number 1 2 3 4 5  olume of barium hydroxide 22 45 23 55 23 45							
itration number 1 2 3 4 5 colume of barium hydroxide 22.00 23.45 23.55 23.45		ant titrated 25 00 a	m³ of hydrock	plorie gold w	vith 0 100 m	ol/dm³	
itration number 1 2 3 4 5 colume of barium hydroxide 22.00 23.45 23.55 23.45				nloric acid w	rith 0.100 m	ol/dm³	
itration number 1 2 3 4 5 colume of barium hydroxide 22.00 23.45 23.55 23.45	barium	hydroxide solutior	۱.	nloric acid w	rith 0.100 m	ol/dm³	
olume of barium hydroxide	barium	hydroxide solutior	n. S.		rith 0.100 m	ol/dm³	
folume of barium hydroxide         23.90         23.45         23.55         23.55         23.45	barium	hydroxide solutior	n. S.		rith 0.100 m	ol/dm³	
Allition light in cm <sup>2</sup>	barium	hydroxide solution  2 shows the results	n. s. Table	2		I	5
	barium Table itration numbe olume of bariu	hydroxide solution  2 shows the results  r  m hydroxide	n. s. Table	<b>2</b>		I	5 23.45
	table Table itration numbe olume of bariu	hydroxide solution  2 shows the results  r  m hydroxide  cm³	Table 1 23.90	<b>2</b> 23.45	3 23.55	4 23.55	23.45
The student calculated the volume of barium hydroxide solution to be used in the titration calculation as 23.50 cm <sup>3</sup> .	Table Titration numbe Colume of barius Colution used in	hydroxide solution  2 shows the results  r  m hydroxide  cm³	Table  1 23.90 e volume of b	<b>2</b> 23.45	3 23.55	4 23.55	23.45
titration calculation as 23.50 cm <sup>3</sup> .	Table  Titration numbe  Jolume of barium  The stream of titration	r m hydroxide cm³  udent calculated the calculation as 23.	1 23.90 e volume of k	2 23.45 parium hydro	3 23.55 oxide solution	4 23.55 on to be use	23.45
titration calculation as 23.50 cm <sup>3</sup> .  Explain why the student used a volume of 23.50 cm <sup>3</sup> of barium hydroxide solution in	Table Titration numbe Colume of bariu The stitration Explain	r m hydroxide cm³  udent calculated the calculation as 23. n why the student u	1 23.90 e volume of k	2 23.45 parium hydro	3 23.55 oxide solution	4 23.55 on to be use	23.45
titration calculation as 23.50 cm <sup>3</sup> .	Table  Titration numbe  Volume of barius  Solution used in  The state titration  Explain	r m hydroxide cm³  udent calculated the calculation as 23. n why the student u	1 23.90 e volume of k	2 23.45 parium hydro	3 23.55 oxide solution	4 23.55 on to be use	23.45 and in the



 $25.00 \ \text{cm}^3$  of the hydrochloric acid reacted with  $23.50 \ \text{cm}^3$  of the 0.100

Calculate the concentration of the hydrochloric acid in mol/dm<sup>3</sup>.

 $2\,HCl(aq)\,\,+\,\,Ba(OH)_2(aq)\,\,\rightarrow\,\,BaCl_2(aq)\,\,+\,\,2\,H_2O(I)$ 

mol/dm³	Do not write outside the box
[4 marks]	

Concentration of the hydrochloric acid = \_\_\_\_\_ mol/dm<sup>3</sup>

Question 8 continues on the next page

0 8 . 3

barium hydroxide solution.

The equation for the reaction is:

Another student titrated sulfuric acid with barium hydroxide solution.

The equation for the reaction is:


$$H_2SO_4(aq) + Ba(OH)_2(aq) \rightarrow BaSO_4(s) + 2H_2O(l)$$

The student measured the electrical conductivity of the mixture during the titration.

The better a conductor, the higher the electrical conductivity value.

Figure 10 shows the results.

Figure 10




0   8 ]. [ 4 ]	Explain why the electrical conductivity of the mixture was zero when the sulfuric acid had just been neutralised.
	Use the equation for the reaction.
	Refer to ions in your answer.  [3 marks]



0 8 . 5	The student then added a further 10 cm <sup>3</sup> of barium hydroxide solution.	Do not write outside the box
	The electrical conductivity of the mixture increased.	
	Give <b>one</b> reason why.  [1 mark]	
		14

## **END OF QUESTIONS**







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



32 Do not write There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

## Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.





outside the

box